

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIG. 1

(PRIOR ART)




FIG. 2






FIG. 3








FIG. 6






FIG. 9




FIG. 10




FIG. 11





FIG. 12

FIG. 13






FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18

Figure
19A




Figure
19D





Figure 19B

Version <u>1111</u>
Length <u>1112</u>
Protocol <u>1113</u>
Source Address <u>1114</u>
Destination Address <u>1115</u>
Padding <u>1116</u>

1110 ↗

Figure 19C



The diagram shows a vertical stack of seven rectangular fields. From top to bottom, they are: 'sync_byte 1141', 'transport_error_indicator 1142', 'payload_unit_start_indicator 1143', 'transport priority 1144', 'PID 1145', 'transport scrambling control 1146', and 'adaptation field control 1147'. Below these is a final field labeled 'continuity_counter 1148'. A large curly bracket on the right side of the entire stack indicates that all these fields are part of a single unit. An arrow labeled '1130' points to the top of the stack.

sync_byte <u>1141</u>
transport_error_indicator <u>1142</u>
payload_unit_start_indicator <u>1143</u>
transport priority <u>1144</u>
PID <u>1145</u>
transport scrambling control <u>1146</u>
adaptation field control <u>1147</u>
continuity_counter <u>1148</u>

1130, 




Figure 19E




Figure 19F




Figure 19G